

True 4K camera, bring extreme sharpness to every meeting space

Combined with 4K sensor and revolutionized new ID design, Yealink UVC84 USB camera provides a best ever video experience for your meeting. Featured 12x optical lossless zoom and 3x digital zoom, UVC84 reproduces every single detail in meeting room, which is perfectly fit for medium and large room. Furthermore, UVC84 covers a wide field of view of 80°, with mechanical pan, tilt that can be easily done either by remote control or Yealink camera control plug-in software. Delivering best in class video quality to all participants, Yealink UVC84 is the ideal choice for a truly collaborative, true-to-life communication.



Key Features and Benefits

4K Ultra HD Video Quality

UVC84 camera delivers 4K video output with excellent sharpness and smoothness, accurately reproducing every detail, color and therefore awarding you a vivid video experience.

36 HD Zoom, 80° Field of View

With 12X optical plus 3X digital zoom and 80° field of view, UVC84 can easily cover a medium or large meeting space. Everyone sitting in the meeting room can be clearly seen by the remote party.

Integrated with Audio

UVC84 camera integrates the audio feature in it as well. Perfectly working with the UVC84 camera, VCM34 array microphone or VCM38 ceiling microphone combined with MSpeaker II soundbar is capable of providing a wonderful audio experience.

Auto Framing

UVC84 camera aims to provide a better auto framing feature to free your hands from doing PTZ control and make you focus on your meeting.

Multiple Installation Options

The complete mounting kits allow you to either put UVC84 on the conference table, or mount it on the top of TV, on the wall, on the ceiling, onto a TV stand or a tripod with great flexibility according to your needs.

- 4K video
- 12x optical zoom, 3x digital zoom, presenting crystal-clear video image
- Mechanical Pan, Tilt and Zoom
- Auto Framing feature, more intelligent meeting experience
- Smooth PTZ control by remote control or Yealink camera control plug-in
- Audio integration, perfect work with Yealink audio device

Specifications

Model	UVC84
Picture	
UVC Protocol	UVC 1.0
Maximum Resolution	4K
Maximum FPS	60FPS
Video Output	4K, 1080p, 720p
Lens Focus Length	f=3.9mm to 46.8mm
Lens Aperture (F#)	F/1.6-F/2.8
Zoom	36X HD Zoom 12X optical plus 3X digital
Field of View (Diagonal)	80°
Field of View (Horizontal)	73°
Field of View (Vertical)	45°
Min, Illumination	0.5 lux (in daylight); 0.1lux (at night)
Signal Noise Ratio(SNR)	>63dB
Exposure	Auto/Manual
Auto Focus	√
White Balance (WB)	ATW/Auto/Manual
Pan Range	±100°
Tilt Range	+40°, -90°
Shutter Speed	1/60~1/10000 seconds
USB	1 x USB2.0 Type B
Audio Ports	1 x Yealink Microphone port (RJ45) 1x Line-out port
Power Adapter	AC 100~240V input DC 48V/0.7A output
System Requirement	Windows 7, Windows 10, macOS 10.10 or higher

Package includes:

- UVC84 Camera
- VCR20 remote control
- Power adapter
- Wall bracket and accessories
- 7m USB cable

Camera

- 4K sensor
- 80° FoV
- 36X HD Zoom, 12X optical plus 3X digitalPan: ±100°, Tilt: +40°, -90°
- Camera presets

UVC84 Connections

- 1 x USB2.0 Type-B port
- 1 x Yealink microphone port (RJ-45)
- 1 x 3.5mm line-out port
- 1 x Power port
- 1 x Security lock slot
- 1 x Reset slot

Product Specification

- UVC84 Camera:
 - Sleeping Dimensions (W.D.H): 156mm x 156mm x 183mm

Working Dimensions (W.D.H): 156mm x 156mm x 156mm

Working Height: 156mm~192mm

- N.W: 2.9 kg

Other Physical Features

- External Yealink Power Adapter: AC 100~240V input and DC 48V/0.7A Output
- Operating humidity: 10~95%
- Operating temperature: 0~40°C

About Yealink

Yealink (Stock Code: 300628) is a global brand that specializes in video conferencing, voice communications and collaboration solutions with best-in-class quality, innovative technology and user-friendly experience. As one of the best providers in more than 140 countries and regions, Yealink ranks No.1 in the global market share of SIP phone shipments (Global IP Desktop Phone Growth Excellence Leadership Award Report, Frost & Sullivan, 2019).

Copyright

Copyright © 2021 YEALINK(XIAMEN) NETWORK TECHNOLOGY CO., LTD.

Copyright © 2021 Yealink(Xiamen) Network Technology CO., LTD. All rights reserved. No parts of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, photocopying, recording, or otherwise, for any purpose, without the express written permission of Yealink(Xiamen) Network Technology CO., LTD.

Technical Support

Visit Yealink WIKI (<http://support.yealink.com/>) for firmware downloads, product documents, FAQ, and more. For better service, we sincerely recommend you to use Yealink Ticketing system (<https://ticket.yealink.com>) to submit all your technical issues.



YEALINK(XIAMEN) NETWORK TECHNOLOGY CO.,LTD.
Web: www.yealink.com
Addr: No.1 Ling-Xia North Road, High Tech Park,
Huli District, Xiamen, Fujian, P.R.C
Copyright©2021 Yealink Inc. All right reserved.